

Interactive / short / 7

IS 1
IS 2
IS 3
IS 4
IS 5
IS 6
IS 7

query	Interactive / short / 7				
title	Replies of a message				
pattern	<pre> graph TD Message[message: Message id = \$messageId] -- hasCreator --> messageAuthor[messageAuthor: Person] Comment[comment: Comment id content creationDate] -- replyOf --> Message Comment -- hasCreator --> replyAuthor[replyAuthor: Person id firstName lastName] messageAuthor -.-> «opt» knows replyAuthor </pre>				
description	<p>Given a Message with ID \$messageId, retrieve the (1-hop) Comments that reply to it. In addition, return a boolean flag knows indicating if the author of the reply (replyAuthor) knows the author of the original message (messageAuthor). If author is same as original author, return False for knows flag.</p>				
params	1	\$messageId	ID		
result	1	comment.id	ID	R	
	2	comment.content	Text	R	
	3	comment.creationDate	DateTime	R	
	4	replyAuthor.id	ID	R	
	5	replyAuthor.firstName	String	R	
	6	replyAuthor.lastName	String	R	
	7	knows	Boolean	C	True if the knows edge exists between the replyAuthor and the messageAuthor nodes, False otherwise (including the case when the two nodes are the same)
sort	1	comment.creationDate	↓		
	2	replyAuthor.id	↑		